



**McMURRAY METALS CO.**

**1-800-658-5655**

**ABOUT US**



*Photographed above: John McMurray III (center), sons Robert McMurray (left), John McMurray IV (right) and the original Chevy truck that John McMurray II started the business with in 1941.*

**McMurray Metals Co.** was established in 1941 by John McMurray II to serve the Dallas / Fort Worth Metroplex and North Texas region. It continues to be a family owned and operated distributor. The first warehouse was located close to where McMurray Metals stands today in the Deep Ellum area near downtown Dallas.

The relationships built over the years enable McMurray Metals Co. to provide manufacturers, builders and refinishers with hard to find copper, brass and bronze metals in the form and quantity they need, when other distributors can not.

The personal and professional attention provided our customers has stretched our reputation and deliveries nationwide, though the primary distribution area remains to be Texas, Oklahoma, Arkansas and Louisiana. Each order and customer receives the same professional customer care. No order is too large or too small.

This catalog lists metal types, shapes and sizes normally stocked. Please call our toll free number to confirm availability and discuss how we may process these materials to meet your specifications.



*Texas Distributor  
of Brass, Bronze & Copper  
Since 1941*



- Rectangle Rod Continued

- 3/4 X 4
- 3/4 X 5
- 7/8 X 1
- 1 X 1 1/8
- 1 X 1 1/4
- 1 X 1 1/2
- 1 X 1 3/4
- 1 X 2
- 1 X 2 1/4
- 1 X 2 1/2
- 1 X 3
- 1 X 4
- 1 X 5
- 1 X 6
- 1 1/4 X 1 1/2
- 1 1/4 X 1 3/4
- 1 1/4 X 2
- 1 1/4 X 2 1/2
- 1 1/4 X 3
- 1 1/4 X 4
- 1 1/2 X 1 3/4
- 1 1/2 X 2
- 1 1/2 X 2 1/2
- 1 1/2 X 3
- 1 1/2 X 4
- 1 1/2 X 5
- 1 3/4 X 2
- 2 X 2 3/4
- 2 X 3
- 2 X 4



**BRASS TUBES**  
ASTM B 35

<b>Round</b> 	12' L 
OD 	WALL THICK 

- .141 X .006
- 1/8 X .016
- 1/8 X .032
- 3/16 X .025
- 3/16 X .032
- 1/4 X .32
- 1/4 X .049
- 1/4 X .065
- 9/32 X .015
- 5/16 X .025
- 5/16 X .035
- 5/16 X .065
- 3/8 X .032
- 3/8 X .042
- 3/8 X .049
- 3/8 X .065
- 6/16 X .032
- 7/16 X .065
- 1/2 X .025
- 1/2 X .032

- 1/2 X .049
- 1/2 X .065
- 9/16 X .028
- 9/16 X .032
- 5/8 X .032
- 5/8 X .049
- 5/8 X .0065
- 5/8 X 1/8
- 3/4 X .032
- 3/4 X .049
- 3/4 X .065
- 3/4 X 1/8
- 7/8 X .032
- 7/8 X .65
- 7/8 X 1/8
- 1 X .032 POLISHED\*
- 1 X .065
- 1 X 1/8
- 1-1/8 X .032
- 1-1/8 X .065
- 1-1/8 X 1 1/8
- 1-1/4 X .032
- 1-1/4 X .065
- 1-1/4 X 1/8
- 1-1/2 X .032
- 1 1/2 X .0509 POLISHED\*
- 1 1/2 X 1/8
- 2 X .050 POLISHED\*
- 2-1/4 X .125
- 2-1/2 X .032
- 2-1/2 X .050
- 2-1/2 X .065
- 2-1/2 X .125
- 2-3/4 X .125
- 3 X .035
- 3 X .050
- 3 X .065
- 3 X .125
- 3-1/4 X .125
- 3-1/2 X .125
- 3-3/4 X .125
- 3-3/4 X .250
- 4 X .065
- 4 X .125
- 4-1/4 X .128

\* See Polished Tubing in Architectural Product Section

<b>Square</b> 	12' L 
OD 	WALL THICK 

- 1/2 X .032
- 3/4 X .032
- 1 X .065
- 1 X .040
- 1-1/4 X .040
- 1-1/2 X .040
- 1-1/2 X .065
- 2 X .050
- 2 X 1/8
- 3 X .125



**YELLOW BRASS SHEET**  
CDA 260 ASTM B 16

<b>SHEET</b> 	96' L 
THICK 	WIDTH 

- .016 X 24
- .020 X 36
- .025 X 36
- .032 X 36
- .040 X 36
- .050 X 36
- .065 X 36
- .080 X 36
- .093 X 36
- .102 X 36
- 1/8 X 36
- 3/16 X 36
- 1/4 X 36
- 3/8 X 36
- 1/2 X 36
- 3/4 X 36
- 1 X 36

Note: Half Hard and some Soft Temper

<b>COIL</b> 	L 
THICK 	WIDTH 

- .005 X 6-1/2
- .008 X 12
- .010 X 12
- .010 X 24



**LEADED BRASS SHEET**  
CDA 353

<b>SHEET</b> 	96' L 
THICK 	WIDTH 

- 1/16 X 24
- .093 X 24
- 1/8 X 24
- 3/16 X 24
- 1/4 X 12
- 1/4 X 48
- 1/4 X 24
- 5/16 X 24
- 3/8 X 24
- 1/2 X 24
- 5/8 X 24
- 3/4 X 18
- 1 X 24
- 2 X 24
- 1 1/4 X 24



Texas Distributor  
of Brass, Bronze & Copper  
Since 1941

1-800-658-5655



We Accept

























**McMURRAY METALS CO.**

1-800-658-5655

**BRONZE**

<p><b>BRONZE</b> CDA 630</p>  <p><b>ROUND SOLID</b></p>	 <p><b>ROUND TUBES</b> (OILITE) SAE 841</p>	<p><b>ALUMINUM BRONZE</b> CDA 954</p>  <p><b>ROUND TUBES</b></p>	<p>2-1/4 X 2-5/8 __79          2-1/4 X 2-3/4 __99          2-1/4 X 3 __147          2-1/4 X 3-1/4 __210          2-1/4 X 3-1/2 __265          2-1/4 X 3-3/4 __322          2-1/4 X 4 __380          2-1/2 X 3 __110          2-1/2 X 3-1/4 __174          2-1/2 X 3-1/2 __229          2-1/2 X 3-3/4 __290          2-1/2 X 4 __343          2-1/2 X 4-1/2 __476          2-1/2 X 4-3/4 __555          2-1/2 X 5 __649          2-1/2 X 6 __995          2-3/4 X 3-1/4 __135          2-3/4 X 3-1/2 __188          2-3/4 X 3-3/4 __267          2-3/4 X 4 __315          2-3/4 X 4-1/4 __369          2-3/4 X 4-1/2 __438          3 X 3-1/2 __146          3 X 3-3/4 __205          3 X 4 __266          3 X 4-1/4 __326          3 X 4-1/2 __395          3 X 5 __574          3 X 5-1/2 __735          3 X 6 __948          3 X 7 __1357          3-1/4 X 3-3/4 __155          3-1/4 X 4 __220          3-1/4 X 4-1/4 __280          3-1/4 X 4-1/2 __349          3-1/4 X 5 __514          3-1/2 X 4 __167          3-1/2 X 4-1/4 __230          3-1/2 X 4-1/2 __298          3-1/2 X 5 __479          3-1/2 X 5-1/2 __640          3-1/2 X 6 __824          4 X 4-1/2 __186          4 X 4-3/4 __284          4 X 5 __363          4 X 5-1/2 __529          4 X 6 __746          4 X 7 __1139          4 X 8 __1625          4-1/4 X 5 __284          4-1/2 X 5 __246          4-1/2 X 5-1/4 __314          4-1/2 X 5-1/2 __402          4-1/2 X 6 __617          4-1/2 X 6-1/2 __818          5 X 5-1/2 __262          5 X 5-3/4 __381          5 X 6 __478          5 X 6-1/2 __652          5 X 7 __892          5 X 8 __1360          5-1/2 X 6-1/2 __523</p>
<p>ROUND  48" &amp; 144" L </p>	<p>TUBE  L: 6-1/2" </p> <p>Please call for sizes available.</p>	<p>ROUND  144" LENGTH </p>	
<p>WIDTH </p>	 <p><b>COMMERCIAL BRONZE SHEET</b> 90/10 CDA 220</p>	<p>ID  OD  144" TUBE WEIGHT </p>	
<p>5/8 7/8 1 1-1/8 1-1/4 1-3/8 1-7/16 1-1/2 1-5/8 2 2-1/4 2-1/2 2-3/4 3 3-1/4 3-1/2</p>	<p>SHEET  THICK </p>	<p>3/4 X 1-1/4 __40          3/4 X 1-1/2 __63          3/4 X 1-3/4 __90          3/4 X 2 __120          7/8 X 1-1/4 __35          1 X 2-1/4 __141          1 X 2-1/2 __180          1 X 2-3/4 __216          1 X 3 __266          1 X 4 __497          1-1/4 X 1-3/4 __60          1-1/4 X 2 __91          1-1/4 X 2-1/4 __125          1-1/4 X 2-1/2 __163          1-1/4 X 2-3/4 __200          1-1/4 X 3 __253          1-1/2 X 2 __70          1-1/2 X 2-1/4 __105          1-1/2 X 2-1/2 __143          1-1/2 X 2-3/4 __185          1-1/2 X 3 __231          1-1/2 X 3-1/2 __344          1-1/2 X 3-3/4 __389          1-1/2 X 4 __450          1-3/4 X 2-1/8 __64          1-3/4 X 2-1/4 __80          1-3/4 X 2-1/2 __118          1-3/4 X 2-3/4 __161          1-3/4 X 3 __207          1-3/4 X 3-1/4 __271          1-3/4 X 3-1/2 __322          1-3/4 X 3-3/4 __367          1-3/4 X 4 __427          2 X 2-3/8 __71          2 X 2-1/2 __91          2 X 2-3/4 __132          2 X 3 __178          2 X 3-1/4 __241          2 X 3-1/2 __294          2 X 3-3/4 __340          2 X 4 __413          2 X 4-1/2 __542          2 X 5 __708          2 X 6 __1058</p>	
<p><b>SINTERED BRONZE</b> (OILITE) SAE 841</p>	<p>.032 .050 .064 .093 1/8 3/16 1/4 3/8 1/2</p>	<p><b>ARCHITECTURAL BRONZE</b> ALLOY 385</p>  <p>Please see Architectural Products for U-Channel, Angle &amp; Tube</p>	
 <p><b>ROUND SOLID</b></p>	<p>ROUND  L: 6-1/2" </p> <p>Please call for sizes available.</p>	<p>2 X 3-1/4 __241          2 X 3-1/2 __294          2 X 3-3/4 __340          2 X 4 __413          2 X 4-1/2 __542          2 X 5 __708          2 X 6 __1058</p>	

Continued →

Aluminum Bronze Tube continued

- 6 X 7 \_561
- 6 X 8 \_1033
- 6 X 9 \_1526
- 7 X 8 \_622
- 7 X 9 \_1150



**SOLID RODS**

ROUND 	72" & 144" L 
OD 	WEIGHT PER 144" ROD

- 1/2 \_10
- 3/4 \_21
- 1 \_35
- 1-1/4 \_54
- 1-1/2 \_76
- 1-5/8 \_89
- 1-3/4 \_101
- 2 \_132
- 2-1/4 \_166
- 2-1/2 \_203
- 2-3/4 \_245
- 3 \_290
- 3-1/4 \_345
- 3-1/2 \_399
- 3-3/4 \_460
- 4 \_519
- 4-1/4 \_582
- 4-1/2 \_651
- 4-3/4 \_713
- 5 \_809
- 5-1/2 \_970
- 6 \_1179
- 6-1/2 \_1379
- 7 \_1563
- 8 \_2039
- 9 \_2568
- 10 \_265.5
- 11 \_389/ft
- 12 \_382
- 13 \_432

**ALUMINUM BRONZE**  
CDA 954

SQUARE/REC 	72 & 144" L 	
THICK 	WIDTH 	WEIGHT PER 144" ROD

- 1/4 X 1 \_15
- 1/4 X 1-1/4 \_18
- 1/4 X 1-1/2 \_21

- 1/4 X 2 \_28
- 1/4 X 2-1/2 \_34
- 1/4 X 3 \_41
- 1/4 X 4 \_55
- 1/4 X 5 \_66
- 1/4 X 6 \_878
- 1/4 X 12 \_162
- 3/8 X 1 \_20
- 3/8 X 1-1/2 \_29
- 3/8 X 2 \_38
- 3/8 X 2-1/2 \_47
- 3/8 X 3 \_57
- 3/8 X 3.5 \_64
- 3/8 X 4 \_74
- 3/8 X 5 \_93
- 3/8 X 6 \_115
- 3/8 X 8 \_151
- 3/8 X 12 \_221
- 1/2 X 1/2 \_14
- 1/2 X 1 \_25
- 1/2 X 1-1/2 \_37
- 1/2 X 2 \_48
- 1/2 X 2-1/2 \_60
- 1/2 X 3 \_72
- 1/2 X 3-1/2 \_83
- 1/2 X 4 \_93
- 1/2 X 5 \_117
- 1/2 X 6 \_145
- 1/2 X 8 \_189
- 1/2 X 10 \_232
- 1/2 X 12 \_280
- 5/8 X 1-1/2 \_45
- 5/8 X 2 \_59
- 5/8 X 2-1/2 \_72
- 5/8 X 3 \_86
- 5/8 X 4 \_115
- 5/8 X 5 \_142
- 5/8 X 6 \_174
- 5/8 X 8 \_230
- 3/4 X 3/4 \_27
- 3/4 X 1-1/2 \_53
- 3/4 X 2 \_69
- 3/4 X 2-1/2 \_85
- 3/4 X 3 \_102
- 3/4 X 3-1/2 \_119
- 3/4 X 4 \_134
- 3/4 X 5 \_165
- 3/4 X 6 \_204
- 3/4 X 8 \_269
- 3/4 X 12 \_391
- 1 X 1 \_46
- 1 X 1-1/4 \_58
- 1 X 1/2 \_68
- 1 X 2 \_89
- 1 X 2-1/2 \_110
- 1 X 3 \_131
- 1 X 4 \_174
- 1 X 5 \_217
- 1 X 6 \_265
- 1 X 7 \_303
- 1 X 8 \_347
- 1 X 12 \_507
- 1-1/4 X 1-1/4 \_70
- 1-1/4 X 2 \_109
- 1-1/4 X 2-1/2 \_136
- 1-1/4 X 4 \_214
- 1-1/4 X 10 \_526
- 1-1/2 X 1-1/2 \_99
- 1-1/2 X 2 \_130
- 1-1/2 X 2-1/2 \_159
- 1-1/2 X 3 \_193

- 1-1/2 X 3-1/2 \_223
- 1-1/2 X 4 \_253
- 1-1/2 X 5 \_314
- 1-1/2 X 6 \_382
- 1-1/2 X 12 \_752
- 1-3/4 X 1-3/4 \_131
- 1-3/4 X 3 \_220
- 2 X 2 \_170
- 2 X 4 \_333
- 2 X 6 \_503
- 2X12 \_984
- 2-1/2 X 2-1/2 \_259
- 2-1/2 X 3 \_314
- 2-1/2 X 4 \_414
- 2-1/2 X 5 \_515
- 3 X 3 \_373
- 3 X 4 \_493
- 3 X 6 \_741
- 4 X 4 \_653
- 4 X 15 \_2512

**BEARING BRONZE**  
CDA 932 / 660

**SOLID BARS**

SOLID BARS 	105" & 12" L 
SIZE 	WEIGHT PER
	105"      12"

- 1/2 \_9 1.1
- 5/8 \_12 1.4
- 3/4 \_19 2.1
- 7/8 \_25 2.8
- 1 \_29 3.3
- 1-1/8 \_37 4.2
- 1-1/4 \_45 5.1
- 1-3/8 \_55 6.3
- 1-1/2 \_65 7.4
- 1-5/8 \_75 8.6
- 1-3/4 \_87 9.9
- 1-7/8 \_99 11.3
- 2 \_113 12.9
- 2-1/8 \_127 14.5
- 2-1/4 \_142 16.2
- 2-1/2 \_175 19.9
- 2-5/8 \_193 22.0
- 2-3/4 \_211 24.1
- 3 \_250 28.6
- 3-1/4 \_293 33.4
- 3-1/2 \_340 38.9
- 3-3/4 \_391 44.7
- 4 \_450 51.4
- 4-1/4 \_500 57.1
- 4-1/2 \_575 65.7
- 4-3/4 \_644 73.6
- 5 \_721 82.4
- 5-1/2 \_852 97.3
- 6 \_1009 115.3
- 6-1/2 \_1202 137.4
- 7 \_1397 159.7
- 8 \_1792 204.8
- 9 \_1162 265.6
- 10 \_1369 313.0
- 11 \_1702 389.0
- 12 \_1970 445.0
- 12-1/2 \_2180 496.2

**CORED BARS**

CORED BARS 	105" & 12" L 	
OD 	ID 	WEIGHT PER
		105"      12"

- 1 X 1/2 \_24 2.7
- 1-1/8 X 1-1/2 \_31 3.5
- 1-1/8 X 5/8 \_28 3.2
- 1-1/4 X 1/2 \_40 4.5
- 1-1/4 X 5/8 \_36 4.1
- 1-1/4 X 3/4 \_32 3.7
- 1-1/4X1 \_20 2.3
- 1-3/8 X 1/2 \_48 5.5
- 1-3/8 X 7/8 \_36 4.1
- 1-3/8 X 1 \_30 3.4
- 1-1/2 X 1/2 \_59 6.7
- 1-1/2 X 5/8 \_55 6.3
- 1-1/2 X 3/4 \_51 5.8
- 1-1/2 X 1 \_40 4.6
- 1-1/2 X 1-1/8 \_33 3.8
- 1-5/8 X 7/8 \_57 6.5
- 1-5/8 X 1 \_51 5.8
- 1-5/8 X 1-1/8 \_44 5.0
- 1-3/4 X 3/4 \_73 8.3
- 1-3/4 X 1 \_62 7.1
- 1-3/4 X 1-1/8 \_54 6.2
- 1-3/4 X 1-1/4 \_48 5.5
- 1-3/4 X 1-1/2 \_32 3.7
- 1-7/8 X 1 \_74 8.5
- 1-7/8 X 1-1/8 \_67 7.7
- 1-7/8 X 1-1/4 \_60 6.7
- 1-7/8 X 1-3/8 \_52 5.9
- 1-7/8 X 1-1/2 \_42 4.8
- 2 X 1/2 \_1.7 12.2
- 2 X 3/4 \_99 11.3
- 2 X 1 \_88 10.0
- 2 X 1-1/4 \_74 8.5
- 2 X 1-3/8 \_65 7.4
- 2 X 1-1/2 \_56 6.4
- 2-1/8 X 1 \_1.3 11.7
- 2-1/8 X 1-1/4 \_88 10.0
- 2-1/8 X 1-3/8 \_79 9.0
- 2-1/8 X 1-1/2 \_77 8.8
- 2-1/8 X 1-5/8 \_60 6.9
- 2-1/4 X 3/4 \_129 14.7
- 2-1/4 X 7/8 \_123 14.0
- 2-1/4 X 1 \_117 13.4
- 2-1/4 X 1-1/8 \_111 12.7
- 2-1/4 X 1-1/4 \_103 11.8
- 2-1/4 X 1-3/8 \_94 10.7
- 2-1/4 X 1-1/2 \_85 9.7
- 2-1/4 X 1-3/4 \_63 7.2
- 2-1/4 X 2 \_39 4.5
- 2-3/8 X 1-1/8 \_127 14.5
- 2-3/8 X 1-1/4 \_119 13.6
- 2-3/8 X 1-3/8 \_110 12.6
- 2-3/8 X 1-7/8 \_67 7.7
- 2-1/2 X 3/4 \_162 18.5
- 2-1/2 X 1 \_150 17.1
- 2-1/2 x 1-1/4 \_136 15.5
- 2-1/2 x 1-3/8 \_127 14.5
- 2-1/2 x 1-1/2 \_118 13.5
- 2-1/2 x 1-5/8 \_107 12.2
- 2-1/2 x 1-3/4 \_96 10.9

Continued →





**- Bearing Bronze Cord Bars**  
Continued

2-1/2 x 1-7/8 84\_9.6  
 2-1/2 x 2 72\_8.2  
 2-5/8X1-3/8 145\_16.6  
 2-5/8 X 1-3/4 114\_13.0  
 2-5/8 X 2-1/8 74\_8.4  
 2-3/4 X 7/8 193\_22.0  
 2-3/4 X 1 187\_21.4  
 2-3/4 X 1-1/4 172\_19.7  
 2-3/4 X 1-3/8 163\_18.6  
 2-3/4 X 1-1/2 154\_17.6  
 2-3/4 X 1-5/8 144\_16.4  
 2-3/4 X 1-3/4 132\_15.1  
 2-3/4 X 2 108\_12.3  
 2-3/4 X 2-1/4 80\_9.1  
 3 X 1 226\_25.8  
 3 X 1-1/4 211\_24.1  
 3 X 1-1/2 194\_22.1  
 3 X 1-3/4 172\_19.7  
 3 X 1-7/8 160\_18.3  
 3 X 2 147\_16.8  
 3 X 2-1/4 120\_13.7  
 3 X 2-3/8 104\_11.9  
 3X2-1/2 88\_10.0  
 3-1/8X1-7/8 184\_21.0  
 3-1/4 X 1-1/4 255\_29.0  
 3-1/4 X 1-3/4 215\_24.6  
 3-1/4 X 1-7/8 203\_23.2  
 3-1/4 X 2 191\_21.8  
 3-1/4 X 2-1/4 163\_18.6  
 3-1/4 X 2-1/2 130\_14.9  
 3-1/2 X 1 316\_36.1  
 3-1/2 X 1-1/2 283\_32.3  
 3-1/2 X 1-3/4 263\_30.0  
 3-1/2 X 2 237\_27.0  
 3-1/2 X 2-1/8 225\_25.7  
 3-1/2 X 2-1/4 209\_23.9  
 3-1/2 X 2-3/8 194\_22.2  
 3-1/2 X 2-1/2 177\_20.2  
 3-1/2 X 2-3/4 142\_16.2  
 3-1/2 X 3 104\_11.9  
 3-3/4 X 1-3/4 309\_35.2  
 3-3/4 X 2 287\_32.8  
 3-3/4 X 2-1/4 256\_29.3  
 3-3/4 X 2-3/8 255\_29.1  
 3-3/4 X 2-1/2 227\_25.9  
 3-3/4 X 2-3/4 193\_22.1  
 3-3/4 X 3 155\_17.7  
 4 X 1 429\_49.0  
 4 X 1-1/2 398\_45.5  
 4 X 1-3/4 376\_43.0  
 4 X 2 352\_40.2  
 4 X 2-1/4 323\_36.9  
 4 X 2-1/2 292\_33.4  
 4 X 2-3/4 256\_29.3  
 4 X 3 211\_24.1  
 4 X 3-1/4 178\_20.3  
 4 X 3-1/2 124\_14.2  
 4-1/4 X 2-1/4 377\_43.1  
 4-1/4 X 2-3/4 321\_36.6  
 4-1/4 X 3 273\_31.2  
 4-1/4 X 3-1/4 231\_26.4  
 4-1/4 X 3-1/2 192\_21.9  
 4-1/2 X 1-1/2 516\_58.9  
 4-1/2 X 2 471\_53.8  
 4-1/2 X 2-1/2 407\_46.5  
 4-1/2 X 2-3/4 375\_42.9  
 4-1/2 X 3 331\_37.8  
 4-1/2 X 3-1/4 298\_34.0  
 4-1/2 X 3-1/2 254\_29.0

4-1/2 X 3-3/4 200\_22.9  
 4-1/2 X 4 149\_17.0  
 4-3/4 X 3 401\_45.8  
 4-3/4 X 3-1/4 356\_40.7  
 4-3/4 X 3-1/2 307\_35.0  
 4-3/4 X 3-3/4 264\_30.1  
 4-3/4 X 4 211\_24.1  
 5 X 2 603\_68.9  
 5 X 2-1/2 536\_61.2  
 5 X 2-3/4 503\_57.5  
 5 X 3 465\_53.1  
 5 X 3-1/4 424\_48.5  
 5 X 3-1/2 384\_43.8  
 5X 3-3/4 328\_37.4  
 5 X 4 276\_31.5  
 5 X 4-1/4 230\_26.3  
 5 X 4-1/2 170\_19.4  
 5-1/4 X 4 370\_42.3  
 5-1/4 X 4-1/4 300\_34.3  
 5-1/2 X 2-1/2 690\_78.8  
 5-1/2 X 2-3/4 667\_76.2  
 5-1/2 X 3 621\_71.0  
 5-1/2 X 3-1/2 526\_60.1  
 5-1/2 X 3-3/4 473\_54.0  
 5-1/2 X 4 430\_49.1  
 5-1/2 X 4-1/4 380\_43.4  
 5-1/2 X 4-1/2 311\_35.5  
 5-1/2 X 5 195\_22.3  
 5-3/4 X 4 505\_57.6  
 5-3/4 X 4-3/4 324\_37.0  
 5-3/4 X 5 273\_31.2  
 5-7/8 X 4-7/8 346\_39.5  
 6 X 2 904\_103.3  
 6 X 2-1/2 853\_97.4  
 6 X 3 783\_89.5  
 6 X 3-1/2 698\_97.8  
 6 X 4 582\_66.5  
 6 X 4-1/4 538\_61.5  
 6 X 4-1/2 492\_56.2  
 6 X 4-3/4 408\_46.6  
 6 X 5 353\_40.4  
 6-1/4 x 5-1/4 354\_40.5  
 6-1/2 x 3 9/66\_110.4  
 6-1/2 x 3-1/2 892\_101.9  
 6-1/2 x 4 781\_89.3  
 6-1/2 x 4-1/2 666\_76.1  
 6-1/2 x 5 518\_59.2  
 6-1/2 x 5-1/2 390\_44.6  
 6-3/4 x 5-3/4 417\_47.7  
 7 x 3 1151\_131.5  
 7 x 4 966\_110.0  
 7 x 4-1/2 850\_97.1  
 7 x 4-3/4 794\_90.8  
 7 x 5 726\_83.0  
 7 x 5-1/2 580\_66.3  
 7 x 6 420\_48.0  
 7-1/2 x 4 1170\_133.7  
 7-1/2 x 4-1/2 1047\_119.6  
 7-1/2 x 5 923\_105.0  
 7-1/2 x 5-1/2 785\_89.7  
 7-1/2 x 6 624\_71.3  
 7-1/2 x 6-1/2 455\_52.0  
 7-3/4 x 6-3/4 475\_54.3  
 8 x 3 1535\_175.3  
 8 x 4 1365\_155.9  
 8 x 4-1/2 1246\_142.4  
 8 x 5 1142\_130.4  
 8 x 5-1/2 991\_113.2  
 8 x 6 887\_99.1  
 8 x 6-1/2 670\_76.6  
 8 x 7 492\_56.2





8-1/2 x 4-1/2 1482\_169.3  
 8-1/2 x 5-1/2 1223\_139.8  
 8-1/2 x 6 1091\_124.7  
 8-1/2 x 6-1/2 922\_105.4  
 8-1/2 x 7 749\_85.6  
 8-1/2 x 7-1/2 545\_62.3  
 9 x 4 1793\_205.0  
 9 x 5 165\_184.6  
 9 x 6 1348\_154.1  
 9 x 6-1/2 1178\_134.6  
 9 x 7 980\_112.0  
 9 x 7-1/2 791\_90.4  
 9 x 8 585\_66.9  
 9-1/2 x 5-1/2 1717\_196.2  
 9-1/2 x 6 1600\_182.9  
 9-1/2 x 7 1242\_142.0  
 9-1/2 x 7-1/2 1050\_119.0  
 9-1/2 x 8 841\_96.1  
 10 x 4 1245\_284.6  
 10 x 5 1030\_235.4  
 10 x 6 911\_205.0  
 10 x 7 1513\_172.9  
 10 x 8 1100\_125.7  
 10 x 8-1/2 873\_99.8  
 10-1/2 x 8-1/2 1148\_131.2  
 10-1/2 x 9 932\_106.5  
 11 x 5 1309\_299.1  
 11 x 6 1167\_266.8  
 11 x 7 998\_228.0  
 11 x 8 1683\_192.3  
 11 x 8-1/2 1397\_159.7  
 11 x 9 1235\_141.1  
 12 x 6 1533\_350.4  
 12 x 7 1395\_310.0  
 12 x 8 1140\_258.0  
 12 x 9 910\_206.0  
 12 x 9-1/2 810\_185.1  
 12 x 10 1336\_152.7  
 12 x 10-1/2 1072\_122.5  
 12-1/2 x 10 821\_188.4  
 12-1/2 x 10-1/2 704\_160.9

**SQUARE/RECTANGLE**

SQUARE/REC 		144" L 
THICK 	WIDTH 	WEIGHT PER 144" BAR

1/4 X 4 68  
 1/4 X 8 141  
 1/4X12 215  
 3/8X4 92  
 3/8X8 187  
 3/8X12 283  
 1/2X1 33  
 1/2X2 63  
 1/2X3 93  
 1/2X4 122  
 1/2X5 153  
 1/2X6 178  
 1/2X8 240  
 1/2X10 301  
 1/2X12 361  
 1/2X14 406  
 5/8X4 140  
 5/8X6 220  
 3/4X1 47  
 3/4X2 89

3/4X3 131  
 3/4X4 173  
 3/4X6 257  
 3/4X8 341  
 3/4X10 425  
 1X1 61  
 1X2 115  
 1X3 169  
 1X4 222  
 1X6 330  
 1X8 438  
 1X10 546  
 1X12 638  
 1X16 870  
 1X18 978  
 1X20 1086  
 1-1/4X8 536  
 1-1/4X12 799  
 1-1/2X4 308  
 1-1/2X8 622  
 2X4 404  
 4X4 786  
 4X11 2145

RECTANGLE 		105" & 12" L 	
THICK 	WIDE 	WEIGHT PER	
		105"	12"

1/2 x 10-1/8 203.0\_20.1  
 5/8 x 10-1/8 258.0\_25.5  
 3/4 x 12-1/8 357.0\_35.4  
 7/8 x 12-1/8 426.0\_42.2  
 1-1/8 x 12-1/8 537.0\_53.3  
 1-3/8 x 10-1/8 552.7\_54.8  
 1-5/8 x 10-1/8 667.5\_66.1  
 1-7/8 x 10-1/8 750.0\_74.3  
 2-1/8 x 10-1/8 858.0\_85.0  
 2-3/8 x 10-1/8 975.0\_96.7  
 2-5/8 x 10-1/8 1050.0\_104.1  
 3-1/8 x 6-5/8 832.0\_83.0



Texas Distributor  
of Brass, Bronze & Copper  
Since 1941

**1-800-658-5655**



We Accept



























**McMURRAY METALS CO.**

1-800-658-5655

**COPPER**












 <p><b>COPPER ROD</b> CDA 110</p>	 <p><b>COPPER RECTANGULAR BUS BAR</b> CDA 110</p>	<p>3/8 X 2 SE/RE 3/8 X 2-1/2 SE/RE 3/8 X 3 SE/RE 3/8 X 4 SE/RE 3/8 X 5 SE 3/8 X 6 SE/RE 1/2 X 1 SE/RE 1/2 X 1-1/2 SE 1/2 X 2 SE/RE 1/2 X 2-1/2 SE 1/2 X 3 SE 1/2 X 4 SE/RE 1/2 X 5 SE 1/2 X 6 SE/RE 1/2 X 8 SE 3/4 X 1 SE 3/4 X 1-1/4 SE 3/4 X 1-1/2 SE 3/4 X 2 SE 3/4 X 3 SE 3/4 X 4 SE/RE 3/4 X 6 SE 3/4 X 8 SE 1 X 1-1/2 SE 1 X 2 SE 1 X 3 SE 1 X 4 SE 1 X 5 SE 1 X 6 SE 1 1/4 X 2 SE 1 1/4 X 3 SE 1 1/4 X 4 SE 1-1/2 X 2 SE 1-1/2 X 2-1/2 SE 1-1/2 X 4 SE 2 X 2-3/4 SE 2 X 3 SE 2 X 4 SE</p>  <p><b>COPPER COILS-STRIPS</b> ALLOY 110</p>	<p><b>STRIPS</b></p> <p>THICK  WIDTH </p> <p>SOFT</p> <p>16 oz. X 24 Coil .032 X 2 Strip .032 X 4 Strip</p>  <p><b>COPPER SHEET ALLOY</b> 110 C/R</p> <p>THICK  WIDTH  LENGTH </p>
<p>ROUND  12' L </p> <p>WIDTH </p> <p>1/8 3/16 1/4 5/16 3/8 7/16 1/2 5/8 3/4 7/8 1 1-1/4 1-1/2 1-3/4 2 2-1/4 2-1/2 2-3/4 3-1/4 3-1/2 4 4-1/2 5 6</p>	<p>RECTANGLE  12' L </p> <p>THICK  WIDTH </p>	<p><b>COIL</b></p> <p>THICK  WIDTH </p>	<p>12 oz. X 36 X 120 12 oz. X 36 X 96 16 oz. X 36 X 96 16 oz. X 36 X 120 16 OZ. X 48 X 120 20 OZ. X 36 X 96 20 OZ. X 36X 120 24 OZ. X 36 X 96 24 OZ. X 36 X 120 32 OZ. X 36 X 96 32 OZ. X 36 X 120 .050 X 36 X 96 48 OZ. X 36 X 96 48 OZ. X 36 X 120 48 OZ. X 48 X 96 48 OZ. X 48 X 120 .093 X 36 X 96 1/8 X 36 X 96 1/8 X 48 X 96 3/16 X 36 X 96 1/4 X 36 X 96 3/8 X 36 X 96 1/2 X 36 X 96 5/8 X 36 X 96 3/4 X 36 X 96 1 X 36 X 96 1-1/2 X 36 X 96 2-1/2 X 36 X 96</p>
<p>SQUARE  12' L </p> <p>WIDTH </p> <p>1/4 3/8 1/2 5/8 3/4 7/8 1 1-1/4 1-1/2 2 2-1/2 3</p>	<p>1/8 X 5/16 SE 1/8 X 3/8 SE 1/8 X 1/2 SE/RE 1/8 X 5/8 SE 1/8 X 3/4 SE 1/8 X 7/8 SE 1/8 X 1 SE/RE 1/8 X 1-1/4 SE 1/8 X 1-1/2 SE 1/8 X 2 SE 1/8 X 2-1/2 SE 1/8 X 3 SE 1/8 X 4 SE 3/16 X 1/2 SE 3/16 X 5/8 SE 3/16 X 3/4 SE 3/16 X 1 SE 3/16 X 1-1/2 SE 3/16 X 2 SE 3/16 X 3 SE 1/4 X 1/2 SE/RE 1/4 X 3/8 SE 1/4 X 5/8 SE 1/4 X 3/4 SE/RE 1/4 X 1 SE/RE 1/4 X 1-1/4 SE/RE 1/4 X 1-1/2 SE/RE 1/4 X 1-3/4 SE 1/4 X 2 SE/RE 1/4 X 2 1/4 SE 1/4 X 2-1/2 SE/RE 1/4 X 3 SE/RE 1/4 X 3 1/2 SE/RE 1/4 X 4 SE/RE 1/4 X 5 SE/RE 1/4 X 6 SE/RE 1/4 X 8 SE 1/4 X 10 SE 1/4 X 12 SE 5/16 X 3/4 SE 3/8 X 1/2 SE 3/8 X 3/4 SE/RE 3/8 X 1 SE/RE 3/8 X 1-1/4 SE 3/8 X 1-1/2 SE</p>	<p>FULL HARD</p> <p>.008 X 12 Coil .010 X 24 Coil .016 X 12 Coil 16 oz. X 12 Coil</p>	 <p>Texas Distributor of Brass, Bronze &amp; Copper</p>



**McMURRAY METALS CO.**

1-800-658-5655

**MISC**

RED BRASS PIPE SPS SCHEDULE 40 AND 80		NICKEL SILVER FLAT SHEET		NAVAL BRASS ROD ALLOY 464 ROUND	
Pipe 	12' L 	Sheet 	24" L 	Rod 	8' - 12' L 
ID 	OD 	THICK 	24" WIDTH 	ID 	
1/8		.020		3/16	
1/4		.032		1/4	
3/8		.040		3/8	
1/2		.062		5/16	
3/4		.093		7/16	
1		.125		1/2	
1-1/4		.250		5/8	
1-1/2				3/4	
2				7/8	
				1	
				1-1/4	
				1-3/8	
				1-1/2	
				1-3/4	
				2	
				2 1/8	
				2 1/4	
				2 1/2	
				2 3/4	
				3	
				3 1/4	



Texas Distributor  
of Brass, Bronze & Copper  
Since 1941

**1-800-658-5655**

Member



We Accept







**McMURRAY METALS CO.**

1-800-658-5655

**PROCESSING**




**McMurray Metals Co.** provides custom processing to deliver metals in the form and quantity you need. We have an experienced staff and the right tools to process pretty much any job. Some of the saws we use are displayed here, along with a description of their most beneficial features and capabilities. We go to great lengths to provide exceptional processing services.

**PRECISION CUTTING**  
KALAMAZOO KMT CR 370A NC




**KALAMAZOO KMT CR 370A NC** - Fully Automatic Cold Saw  
A combination of a circular cold saw with mitering capability and numerically controlled automation. It provides extremely stable guidance, vibration free sawing and precision control of all sawing operations. These include: height/depth for efficient saw cycling, saw pressure and speed for optimum cutting rates and air vise clamping pressure to prevent distortion of structurals.




Metal shapes 4.5" wide and under that require repetitive precision cuts with a fine finish are processed by the Kalamazoo.

Maximum Capacities			
Degree of Cut			
90	4.5	4	4" X 7"
45 (L)	4.5	4	4.75 X 3.5
45 (R)	4	4	4.75 X 3.5
60 (R)	4	3.5	3.5 X 3.5

**HORIZONTAL BAND SAW**  
PA13/2P




**Spartan - PA13/2** - Band Saw - A fully automatic wet saw used for making single or repetitive cuts to the same length. The digitally controlled auto feed and counting features provide a virtually unlimited number of cuts to precision within .005 of an inch. It handles metals up to 13" wide and as small as .25". The lubricant and coolant used with the saw make it particularly useful for cutting harder metals such as aluminum bronze and nickel. It's 2-3 pitch blade with .008 kerf leaves a finish smoother than a dry cut band saw, but a little rougher than our precision circular wet saw.

Minimum OD Capacity	Maximum OD Capacity				
.25"	13"	All Metals and Shapes			

**HORIZONTAL BAND SAW**  
Cosen C-460NC



**Cosen C-460NC** - Horizontal Band Saw - This automatic feed wet saw is fully programmable to cut material up to 18" wide into various lengths and hold multiple cut settings to within .005 of an inch. Settings can be stored for repeat orders. It is our workhorse of choice for multi-length processing.

Minimum OD Capacity	Maximum OD Capacity				
.25"	18"	All Metals and Shapes			

**BAND SAW**  
MARVEL 8



**Marvel 8** - Band Saw - Our 1974 model has been a shop favorite for many years. Built to last, it no doubt has many more years of service ahead of it. The Marvel 8 is not for precision cutting but does stay reasonably close to the mark. We use it primarily to cut single and larger sized pieces. It auto feeds any metal shape and it's vertical 3-2 pitch blade saws metal up to 22" in diameter.

Minimum OD Capacity	Maximum OD Capacity				
.5"	22"	All Metals and Shapes			

**HYDRAULIC SHEAR**  
SHEET CUTTER



**Hydraulic Shear** - Sheet Cutter, Used primarily for cutting brass, copper and bronze sheet of less than 1/4" thick, it has a variable pressure foot control which allows the operator to apply the optimum number of pounds per square inch for each cut. This helps make each cut as clean as possible. It is also digitally controlled for shearing within .005" accuracy. The maximum cutting length is 8'. Unlike saws, the sheet shear leaves a smooth though slightly indented edge.

Call McMurray Metals Co. to discuss your processing requirements. We have the equipment and the know-how to help you cut your project down to size.

Plate Thickness		Plate Width		Length Of Cut
Min	Max	Min	Max	Max
1/32"	1/4"	.5"	4'	8'

**PLATE SAW**  
DRY CUT CIRCULAR SAW



**Plate Saw** - Hybrid. - This dry cut circular saw uses a special non-ferris triple carbide tip blade with 1/8" kerf to cut through copper, bronze and brass plate up to 2" thick. Anything under 1/4" thick is processed through our Sheet Shear.

The plate saw's maximum cutting length is 8'. We regularly cut standard 4' X 10' plate to 8' lengths while processing. The cutting finish could be best described as medium.

Plate Thickness		Plate Width		Length Of Cut
Min	Max	Min	Max	Max
.25"	2"	.5"	4'	8'



Texas Distributor  
of Brass, Bronze & Copper  
Since 1941

**1-800-658-5655**



We Accept

